

Revision Date: 1 April 2023 Version 2023.1.1

## Section 1: IDENTIFICATION OF THE SUBSTANCE

**Product Identifier** 

Product Name: Nexus Green Marine

Other Means of Identification: NG CLP, Nexus Green, SKU: NG-FL-CLP

CAS #: 325180

Synonyms/SKU's: SKU: NG-FL-Marine, NG-0104-Marine-SMPL, NG-0111-Marine, NG-03-3L, NG-03-3L,

NG-03-1G, NG-03-5G, NG-03-55G, NG-03-TOTE, NG-03-ISO Tank, Mixture, Solution, Marine

Recommended uses: Marine Bio-based Lubricating and Penetrating solution.

USDA Certified Bio-Preferred

Manufacturer & Supplier:

Safe Harbour Products, Inc 366 Ely Avenue, Unit 3 Norwalk, CT 06854 Phone: (203) 295-8377

Nxsgreen.com

Emergency Phone Number: (203) 803-4463

### Section 2: HAZARDS IDENTIFICATION

Gas under pressure: Compressed Gas

Note: This product is a consumer product and is labeled in accordance with the U.S. Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Label Elements:



**Caution:** Contains gas under pressure; may explode if heated

Prevention: Pressurized container. Do not pierce or burn, even after use.

Storage: Do not expose to temperatures exceeding 60°C / 160°F.

Disposal: Dispose of contents and container in accordance with local and national regulations.

HAZARD NOT OTHERWISE CLASSIFIED (HNOC): None as defined under 29 CFR 1900.1200.

**MEXUS GREEN** 

Revision Date: 1 April 2023 Version 2023.1.1

PHYSICAL / CHEMICAL HAZARDS:

No Significant Hazards

**HEALTH HAZARDS** 

This material has no known hazards when used as directed.

# **ENVIRONMENTAL HAZARDS**

No significant hazards.

NOTE: This material should not be used for any other purpose than the intended use in Section 1 without expert advice. Health studies have shown that chemical exposure may cause potential human health risks which may vary from person to person.

# SECTION 3: COMPOSITION INFORMATION

Ingredient	CAS#	Weight by %	US Hazcon 2012 GHS Classification
Agri-Products	N/A	65 - 85%	No Signal word / No known Hazards
White Mineral Oil	8042-47-5	10 - 20%	No Signal word / No known Hazards
Alkylated Naphthalene		3 - 5%	No Reportable Hazardous Substance(s) or Complex Substance(s).
Isoparaffinic Hydrocarbon	64742-47-8	0 - 5%	No Reportable Hazardous Substance(s) or Complex Substance(s).
Methyl Soyate	67784-313-4	0 - 5%	Classification (29CFR1910.1200 Appendix A) : None. / GHS: None

No Hazardous Substance(s) or Complex Substance(s) required for disclosure. As per paragraph 29 CFR 1910.1200(i), formulation is considered a trade secret and specific chemical identity and exact percentage (concentration) of composition may be withheld.

Specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designated representatives in accordance with applicable provisions of paragraph (i) When necessary.

**SECTION 4: FIRST AID** 

**MEXUS GREEN** 

Revision Date: 1 April 2023 Version 2023.1.1

Eye Contact: Flush with water.

Skin Contact: Wash skin with soap and water.

Inhalation: In event of a reaction, call physician.

Ingestion: Do not induce vomiting. Call physician.

Most important symptoms and effects, both acute and delayed:

Symptoms: No information available.

Indication of any immediate attention and specific treatment needed:

Note to Physician: Treat symptomatically

# **SECTION 5: FIRE FIGHTING MEASURES**

<u>Suitable extinguishing media:</u> Use dry chemical, CO2, water spray or alcohol foam. Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

<u>Fire Fighting Instructions:</u> Evacuate area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Use water spray to cool fire exposed surfaces and to protect personnel.

<u>Hazardous Combustion Products:</u> Incomplete combustion products, Smoke, Fume, Oxides of carbon.

<u>Specific hazards arising from the chemical:</u> In the event of fire, cool tanks and protect personnel with water spray.

Flash Point (ASTM D92) 187°C / 369°F Fire Point: (ASTM D92) 283°C / 541°F

# Explosion data:

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

# Special protective equipment for firefighters:

Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# Personal Precautions, protective equipment and emergency measures

Personal Precautions: Use personal protective equipment as necessary.

# **Environmental Precautions:**

Environmental precautions: Prevent product from entering water table. Do not contaminate surface water. Check on local, national and international regulatory information to determine any reporting requirements for spills.

# Methods and materials for containment and clean up



Revision Date: 1 April 2023 Version 2023.1.1

Methods for containment: Prevent further leakage or spillage if safe to do so, confine spill immediately.

Methods for cleaning up: Absorb spill with inert material (e.g. dry sand or earth), or skimming surface with suitable absorbent, then transfer non-combustible material in approved containers.

Dawn dish soap or similar may be used for cleanup.

## SECTION 7: HANDLING AND STORAGE:

# Precautions for Safe Use:

Handle in accordance with good industrial hygiene and safety practice. Keep containers closed when not in use. Wash thoroughly after handling with soap and water. No special storage precautions required.

# Conditions for safe storage, including any incompatibilities

Keep containers tightly closed and store within recommended usable temperature range (-24°C to 58°C). Empty containers may retain product. Follow all SDS / Label warnings after container is emptied. No special storage precautions necessary.

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

## Individual protection measures such as personal protective equipment

Respiratory protection No Personal Respiratory equipment required.

Hand Protection

Eye Protection

Skin & Body Protection

General Hygiene Considerations

Nitrile rubber gloves may be used
Safety glasses may be worn

Impervious clothing may be used
Wash with soap & water after contact

# Typical information on Basic physical and Chemical Properties

Specific Gravity (20°C): 0.8315
Flash Point (ASTM D92): 187°C / 369°F
Fire Point (ASTM D92) 283°C / 541°F
Kinematic viscosity (20°C): 124.4 cST
Pour Point: -22°C

Explosive properties: Material does not have explosive properties

Oxidizing properties: Not Determined

Volatile Organic Compound (VOC): None Physical State Liquid

# Typical information on Basic physical and Chemical Properties (cont.)

Appearance Oily Odor N/A

Color Pale yellowish
Odor threshold Not Determined
Melting: point/freezing point: Not Determined

# **Chemical Stability**

Boiling point /boiling range:

Flammability (solid, gas):

Flammability Limit in Air

Not Determined

Not Determined

Percent Volatile: N/A

Boiling Point: Not Determined

**MEXUS GREEN** 

Revision Date: 1 April 2023 Version 2023.1.1

Vapor Density (Air = I):
Vapor pressure:
Solubility in Water:
Not Determined
Insoluble

Upper flammability limit:

Lower flammability limit:

Partition coefficient:

Autoignition temperature:

Decomposition temperature:

Not Determined

Not Determined

Not Determined

Other information

The above data are typical values and do not constitute a specification.

SECTION 10: Stability and Reactivity:

Reactivity: Not Applicable

<u>Chemical Stability</u>: Stabile under normal conditions

Possible hazardous Reaction:

Possibility of Hazardous Reactions: None under normal circumstances Hazardous Polymerizations: Hazardous polymerization does not occur

<u>Conditions to avoid:</u> Do Not puncture or incinerate containers

<u>Hazardous Decomposition:</u> None under normal processing

<u>Incompatible Materials:</u> Oxidizing agents

SECTION 11: TOXICOLOGY INFORMATION

Eye Contact: Product does not present an acute toxicity hazard based on known or supplied

information. Contact with eyes may cause irritation. May cause mild, short-lasting

discomfort to eyes based on assessment of the components

**Skin Contact:** Acute Toxicity: Minimally Toxic, based on assessment of the components. Substance

does not generally irritate and is only mildly irritating to the skin with prolonged

exposure.

**Inhalation** Acute Toxicity: Minimally Toxic, based on assessment of the components.

Irritation: Negligible hazard at ambient/normal handling temperatures.

**Ingestion:** Acute Toxicity: Minimally Toxic, based on assessment of the components

and structurally similar materials

**Aspiration:** Not expected to be an aspiration hazard, based on physical and chemical

properties of the material.

**Respiratory Sensitivity:** Not expected to be a respiratory sensitizer, based on assessment of the

components and structurally similar materials

Carcinogenicity: Not expected to cause cancer, based on assessment of components and

Structurally similar materials. This product does not contain any carcinogens

or potential carcinogens as listed OSHA, IARC or CA Prop 65.

**Reproductive Toxicity:** Not expected to be a reproductive toxicant, based on assessment of the

components.

**Lactation:** Not expected to cause harm to breast-fed children.

**MINEXUS GREEN** 

Revision Date: 1 April 2023 Version 2023.1.1

Specific Target Organ Toxicity (STOT): Single Exposure: Not expected to cause organ damage from

a single exposure.

Repeated Exposure: Not expected to cause organ damage

from prolonged or repeated exposure

#### OTHER INFORMATION

Product Information: Product does not present an acute toxicity hazard based on known or supplied information. Not expected to cause significant health effects under conditions of normal use, based on laboratory studies with the same or similar materials. Not mutagenic or genotoxic.

# **SECTION 12: ECOLOICAL INFORMATION**

Aquatic/Ecotoxicity: Based on previous studies, (OECD 201,202, and 203) LC50/EC50 >3,000 ppm

(3000 mg/L).

**Ecotoxicity**: No known hazards to the aquatic environment

Biodegradation: >80%; most components readily biodegradable

<u>Bioaccumulation:</u> No potential to bioconcentrate based on ingredients.

Soil Mobility: No data available

Persistence and degradability: Not yet Established

Water Mobility: The product is insoluble and floats on water.

# **SECTION 13: DISPOSAL INFORMATION**

# **Waste Treatment Methods**

Disposal of Waste: Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging: Do not reuse packaging

# **SECTION 14: TRANSPORTATION**

**United States** 

Air IATA Not Regulated

Land (DOT/TDG)

UN 1950, Aerosols, 2.2 (Non-Flammable) Limited Quantity,
Each package must be marked with the Limited Quantity Mark.

Packaging Group Packing Group III

Transportation Hazard Class Aerosol 2.2 (Non-flammable)

UN Number UN 1950, Aerosols, 2.2 (Non-flammable) ICAO UN 1950, Aerosols, 2.2 LTD QTY

# **SECTION 15: REGULATORY INFORMATION**



Version 2023.1.1 Revision Date: 1 April 2023

### International Inventories

TSCA: Listed in TSCA

TSCA: United States Toxic Substances Control Act Section 8(b) Inventory

All ingredients in this product are listed or exempt from listing on the TSCA

Chemical inventory.

Global Chemical Inventories:

All components of this material are on the US TSCA Inventory or are exempt. USA

All components are in compliance with the EC Directive 92 1321EEC (As amended April 1992). EU All components are in compliance with the Chemical Substances Control Law of Japan. Japan All components are in compliance with chemical notification requirements in Australia. Australia Canada

All components are in compliance with the Canadian Environmental Protection

Act and are Canadian DSLINDSL.

Proposition 65: This product does not require a California Proposition 65 warning.

## **Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## Federal Regulations (cont.)

## SARA 311/312 Hazard Categories

Acute Health Hazard No Chronic Health Hazard No Fire Hazard No Sudden release of pressure hazard No Reactive Hazard No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# State Regulations

California Proposition 65: This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product does not contain any known chemical substance on the SARA Extremely Hazardous Substances

# U.S. EPA Label Information

EP A Pesticide Registration Number Not applicable

## **SECTION 16: OTHER INFORMATION**

**MINEXUS GREEN** 

Revision Date: 1 April 2023 Version 2023.1.1

Read and follow all label directions and precautions before using the product.

NFPA:

Health: 0 Flammability: 0 Instability 0

HMIS health rating:

Health: 0 Flammability: 0 Physical hazards 0 Personal protection A

# Guide to Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists;
CARB = California Air Resource Board,
CASRN = Chemical Abstracts Service Registry Number;
CEILING = Ceiling Limit (15 minutes);
CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act;
EPA = Environmental Protection Agency;
GHS = Globally Harmonized System;
IARC = International Agency for Research on Cancer;

### Guide to Abbreviations (cont.)

INSHT = National Institute for Health and Safety at Work;
IOPC = International Oil Pollution Compensation;
LEL = Lower Explosive Limit;
NE = Not Established;
NFPA = National Fire Protection Association;
NTP = National Toxicology Program;
OSHA = Occupational Safety and Health Administration;
PEL = Permissible Exposure Limit (OSHA);
SARA = Superfund Amendments and Reauthorization Act;
STEL = Short Term Exposure Limit (15 minutes);
TLV = Threshold Limit Value (ACGIH);
TWA = Time Weighted Average (8 hours);
UEL= Upper Explosive Limit;
WHMIS = Worker Hazardous Materials Information System (Canada)

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Safe Harbour Products, Inc. knowledge; however, Safe Harbour Products, Inc. makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OF FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof.

Safe Harbour Products, Inc. assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.